



WELDRITE[®]



TECHNOLOGY
FROM

BLUESTREAM USA

SCPS

AN ISO 9001:2015 COMPANY

WELDRITE[®] is a Registered Trademark of Sindhu Construction Products & Services

www.weldrite.in

TABLE OF CONTENTS

PAGE	CONTENTS
1	Company Profile
2	A. Solvent Cements & Primers
3	Introduction
5	How to use
6	CPVC 3in1 Spray - 1st in India
8	CPVC Solvent Cements
10	UPVC Solvent Cements
12	Primers & ABS Solvent Cement
13	PVC Solvent Cements
14	B. Ball Valves, Teflon Tape Pipe Lubricant & Black Sealants
15	Ball Valves
16	Teflon Tape
17	Pipe Lubricants & Black Sealant
18	C. Silicone Sealants, Acrylic Sealants, Adhesives
19	General Purpose GP Silicone Sealant
20	Neutral Silicone Sealant
21	Structural Glazing Sealant
22	Weatherproofing Silicone Sealant
23	Acrylic General Purpose Sealant
24	Construction Adhesive - No Need Nails
25	D. Instant Glue, Primers & Coatings, Rust Removers
26	Instant Glue- Cyanoacrylate Adhesives
27	Coatings & Primers
28	Rust Removers/Convertors etc. etc.
29	Mould Release & Protection , Chain Lubricants



TABLE OF CONTENTS



PAGE	CONTENTS
30	E. Construction Chemicals & Coatings
31	Weldrite LW
32	Weldrite URP
33	Weldrite SBR
34	Weldpol - Waterproofing acrylic polymeric product
35	Wedpol GP
36	Concrete Enhancer- reduce concrete water permeability
37	Plaster Enhancer - Makes Plaster crack-free
38	Weldjoint - strongly bonds Concrete to concrete & plaster
39	Weldjoint 740 - strongly joins Plaster to Concrete
40	Weldjoint Gypbond - Strongly Joins Concrete to Gypsum
41	Tilebond - Joins Concrete/Plaster to Tile/Marble/Granite
42	China Chip Protect - Waterproofing coating on china chip roofs
43	Weldshine - Coating on top of paint for waterproofing
44	Waterguard - elastomeric coating for concrete & plaster
45	RoofCoat - single pack coating for roofs
46	Heatguard- Coating reduces temp by 6-7 degrees
47	Water repellent - PWR- silicone coating for brick/Masonry
48	Crystalline - cementitious waterproofing for concrete
49	Weldcor - protects steel bars etc from corrosion
50	RustGone - converts rust back to Steel
51	Steel Guard - coating of steel bars/wires/cables
52	Weldcrete - J540 - for adhesion of layers of concrete
53	Crackfill Paste - for filling exterior cracks upto 5mm
54	Weldseal PU - multi-purpose floor joint sealant

COMPANY PROFILE

Our vision of serving the customer through innovative products has led **SINDHU CONSTRUCTION PRODUCTS & SERVICES (SCPS)** to launch and grow a basket of products under the Weldrite® brand which lead to improved construction.

Our focus has always been towards benefits to the ultimate user so that his building is repaired and/or built to the highest levels

SCPS is based in suburban Mumbai since 2007 with a skilled workforce including IIT-IIM alumni.

Weldrite® products include an array of plumbing products, silicone sealants, construction chemicals, general industry chemicals & products

We have also launched several industry firsts like India's first solvent cement spray.

The Weldrite® range includes

The largest range of CPVC. UPVC. PVC .ABS Solvent Cements & primers. These are technically the best in India and can be compared to World's best Solvent Cements
Construction Chemicals for all situations - be it leaky terraces, toilets, cracked plaster, spalled concrete, deteriorated steel elements or just to improve the properties and life of new projects. Chemicals for various functions such as waterproofing, structural repairs, bonding of old and new concrete, increasing work ability in cement concrete, etc. are available

CPVC & UPVC Ball Valves. The largest range - compact, single union, long handle, conventional handle with sizes from ½" to 3"

Teflon Tapes, Standard & premium grades

Rust Removers & Convertors & other Chemicals

The Weldrite® promise
Class leading products + Class leading Customer Service

With a distributor & employee network across the country, Weldrite® products are easily available near you in a range of packings. Weldrite® products are also exported to many countries across the globe.

We are just a call/email away
Call : 70454 30101
Email : info@sindhucon.com
Website : www.weldrite.in



A

Solvent Cements & Primers

Hi,
I am Pintu !



WELDRITE®

CPVC·UPVC·PVC·ABS SOLVENT CEMENTS & PRIMERS

USA Quality • US Technology • Meets ASTM & Lo-Voc



TECHNOLOGY FROM
BLUESTREAM USA



Sindhu Construction Product & Services (SCPS) manufactures solvent cements for plumbing systems & plastic piping systems in India. We have the largest & most comprehensive range of CPVC / UPVC / PVC & ABS solvent cements & primers. These are manufactured to international standards with US TECHNOLOGY & formulations ,from BLUESTREAM USA ,and are additionally uniquely adapted to the Indian environment. These products meet the relevant ASTM standards. We benchmark our products with the leading international manufacturers and we invite potential users to compare with the best brands in the world. We have been manufacturing since 2007 , and are based in Mumbai Region, Maharashtra.

We supply to many companies in India and overseas under their private label and also in our own brand Weldrite. Please visit www.weldrite.in for further information.

WELDRITE®

SOLVENT CEMENTS & PRIMERS

3

WELDRITE®

We offer a 2 year shelf life on all our solvent cements.

Weldrite® Solvent Cements are well known and available across the country from Kashmir to Kanyakumari & from Mumbai to Dibrugarh

SCPS is the technology leader in solvent cements and has many hi-tech products which are exclusive to us.

- 3in1 Spray Solvent Cement for CPVC,UPVC & PVC
- THF-FREE Eco-friendly solvent cements
- PVC heavy duty gray solvent cement for pipes upto 12".Also for boring/column pipes. It is easy to verify installation by checking the color(or absence thereof)
- Pipe Lubricant in pouches (easy to carry and use)

There is a large range to fit every situation. products to make strong joints very quickly, for large dia pipes and small dia pipes, in 10ml tubes to 1 liter cans, we have everything you need.

We have a production capacity of around 50,000 cans & tubes per day.

Our solvent cement tins are fully coated with a proprietary coating which retards rusting. It reduces drying & oxidation of solvent cement, ensuring performance up to the shelf life.

Our outer cartons are 7ply tough and make sure product reaches you & your customers in good condition.

Cans are available in 50ml to 1000ml

Tubes are available in 10ml to 100ml.

Kindly check each product listing for product-specific packing options

HOW TO USE SOLVENT CEMENT

DIRECTIONS

Store between 40°F (5°C) and 90°F (33°C).

Stir and use as is. Shake well before use. If jelled, replace. Read Product Bulletin and MSDS.

1. Cut pipe square and deburr or bevel 10-15°. Clean and dry joining surfaces.
2. Check dry fit. Fitting should go over end of pipe easily but become tight about 1/3 to 2/3 of the way on.
3. Use a suitable applicator at least 1/2 the size of pipe diameter.
4. Apply a full, even layer of solvent on the pipe end up to socket depth; coat the fitting socket with a light layer (avoid excess and puddling). solvent should fill all gaps.
5. Assemble quickly while solvent is wet. Twist 1/8 to 1/4 turn until reaching pipe stop. To avoid pushout, hold for 10-30 seconds. Wipe off excess.
6. Allow 10 mins. for good handling strength and 6 hr. cure time for cold water systems up to 160 psi (11.3 kg/cm²) For pipe sizes 1 1/2"(50mm) or larger, higher pressure or temperatures below 60°F (16°C), allow longer cure time.

DO NOT TEST WITH COMPRESSED AIR.

STRAW



WELDRITE®

SOLVENT SPRAY 1ST TIME IN INDIA

Just Spray, Simple And Easy

PLUMBERS FRIEND - प्लंबर का दोस्त

- Cheapest Joint
- Easy to Apply
- Very Fast Joint
- No Damage to Hands
- No Wastage
- सबसे सस्ता जॉइंट
- हाथ खराब नहीं होते
- आसान इस्तेमाल
- बहुत जल्दी जोड़े
- बर्बादी खत्म

**60
JOINTS
in
60 ml**

3in1

**Does Not Dry
Does Not Dust**

सबसे सस्ता जॉइंट



WCS - CPVC YELLOW SPRAY

- ▶ One can of spray solvent cement equals 3 cans of normal solvent cement
- ▶ upto 1 1/4 " CTS (32mm) CPVC pipes
- ▶ Fast setting
- ▶ 120ml can makes 150 joints of 3/4" pipe
- ▶ 3 In 1 CPVC/UPVC/PVC Pipe Solvent Cement
- ▶ Very Easy to Apply, Comes with straw to ensure precise application.
- ▶ No Damage to Hands ,No Wastage

SIZE	INNER CARTON	OUTER CARTON
60ml	20	80
118ml	20	80
237ml	12	48

HOW TO USE CPVC SPRAY



CPVC

Meet ASTM F493 & D2846

Lo-Voc. Meet NSF standards. Life 2 years. To be used between 4 to 43 deg C.

Recommended for Potable Water, pressure pipe, Conduit & DWV for pipes with interference fit

Use Industrial Solvent cements for fluids other than water

1st in India - THF-free eco-friendly solvent cement

1st in India - 3in1 CPVC Solvent Spray

WC4 - CPVC MEDIUM BODY YELLOW

WC4-MEDIUM BODY YELLOW CPVC

- ▶ Fast Setting Solvent Cement
- ▶ Upto 4" Interference Fit
- ▶ For All Dww/sw/pw Pipes
- ▶ Life 2 Years From Mfg. Date
- ▶ Meets ASTM F493 & D2846
- ▶ Lo - VoC



SIZE	INNER CARTON	OUTER CARTON
TUBES		
12ml	36	288
25ml	24	192
50ml	12	240
TINS		
50ml	48	192
59ml	48	192
100ml	24	144
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WC6F- CPVC PIPEFIX

- ▶ For Upto 6" UPVC/PVC pipe
- ▶ High Viscosity
- ▶ specially formulated for pipe repairs
- ▶ Meets ASTM F493 & D2846
- ▶ Lo-Voc



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WC12 - CPVC HEAVY DUTY GREY INDUSTRIAL

- ▶ Heavy Duty Solvent Cements
- ▶ Upto 12" Interference Fit
- ▶ For All Dww/sw/pw Pipes
- ▶ Life 2 Years From Mfg. Date
- ▶ Meets ASTM F493 & D2846
- ▶ Lo-Voc
- ▶ Also use for non-water application



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WC6 - CPVC ORANGE MEDIUM

- ▶ May be used without primer if codes permit
- ▶ for Upto 6" CTS(150mm) CPVC pipe
- ▶ Meets ASTM F493 & D2846
- ▶ Lo-Voc



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WC6X - CPVC THF-FREE ECO-FRIENDLY YELLOW SOLVENT CEMENT

- ▶ For Upto 6" CPVC Pipe
- ▶ Meets ASTM F493 & D2846
- ▶ LO-VOC



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

THF-Free solvent cements are the latest technology and already used widely in Europe. It has lower toxicity. SCPS is the first manufacture in India.

UPVC

Meet ASTM- 2564

Lo-Voc. Meet NSF standards.

To be used between 4 to 43 deg C.

Recommended for Potable Water ,pressure pipe

Conduit & DWV for pipes with interference fit

Use Industrial Solvent cements for fluids other than water

The most extensive range of UPVC solvent cements for dry & wet conditions and also for non-water use.

WU4 - UPVC MEDIUM/CLEAR BODY

WU4 - MEDIUM BODY UPVC CLEAR/BLUE

- Fast Setting Solvent Cement Upto 4"



SIZE	INNER CARTON	OUTER CARTON
TUBES		
10ml	36	288
25ml	24	192
50ml	12	240
TINS		
50ml	48	192
59ml	48	192
100ml	24	144
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WU6 - UPVC HEAVY DUTY CLEAR/BLUE

Wu6 - HEAVY DUTY UPVC CLEAR/BLUE - WET

- Medium Setting Solvent Cement
- Upto 6" Interference Fit For All Schedule
- High Viscosity
- Thick For Gap Filling



SIZE	INNER CARTON	OUTER CARTON
TUBES		
25ml	24	192
50ml	12	240
TINS		
59ml	48	192
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WU6W - UPVC WETWELD HD BLUE

- ▶ Fast Setting. for use in wet and underwater conditions including swimming pools
- ▶ Upto 6"(150mm) UPVC/PVC pipe



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WU12C - UPVC EXTRA HEAVY DUTY CLEAR

- ▶ Upto 12" Interference Fit
- ▶ Medium Setting Solvent Cement
- ▶ For all Schedule Astm pipe
- ▶ Use with Primer
- ▶ High Viscosity
- ▶ Thick For Gap Filling



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WU12G - UPVC GRAY/CLEAR INDUSTRIAL

- ▶ Upto 24" Interference Fit
- ▶ Medium Setting Solvent Cement
- ▶ For all Schedule Astm pipe
- ▶ Use with Primer
- ▶ High Viscosity
- ▶ Thick For Gap Filling



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

WU6X - UPVC THF-FREE ECO-FRIENDLY YELLOW SOLVENT CEMENT

- ▶ For Upto 6" UPVC/PVC Pipe
- ▶ Latest Technology, Eco-friendly
- ▶ Europe is already using these products



SIZE	INNER CARTON	OUTER CARTON
TINS		
118ml	24	144
237ml	24	96
473ml	24	48
946ml	12	24

PVC

To be used between 4 to 43 deg C.
Recommended for SWR, Drainage
Conduit & DWV for pipes with interference fit. Also for PVC doors & Windows

WPC - PVC CLEAR

- ▶ **WPC -PVC CLEAR**
- ▶ For SWR/Electrical, Conduit, Doors & Windows
- ▶ PVC Film PIPE UPTO 160MM



SIZE	INNER CARTON	OUTER CARTON
TUBES		
15ml	36	288
30ml	24	384
TINS		
50ml	48	192
100ml	24	192
250ml	24	96
500ml	24	48
1000ml	12	24
5000ml	6	6

WPH - PVC HIGH PRESSURE

- ▶ **WPH -PVC HIGH PRESSURE**
- ▶ For SWR/Electrical, Conduit, Doors & Windows
- ▶ PVC Film, PIPE SIZE UPTO 400MM



SIZE	INNER CARTON	OUTER CARTON
TUBES		
15ml	36	288
30ml	24	384
TINS		
50ml	48	192
100ml	24	192
250ml	24	96
500ml	24	48
1000ml	12	24
5000ml	6	6

WSH - PVC HEAVY DUTY GREY

1st In India

- ▶ **WSH - PVC HEAVY DUTY GRAY -12" pipe**
- ▶ Confirm Joint By Seeing Colour ,higher Strength
- ▶ Can Be Used For Upvc Pipe Upto 1"
- ▶ All Size Pvc For Swr
- ▶ Pvc Doors & Windows/pvc Film
- ▶ Best For Boring Pipe

SIZE	INNER CARTON	OUTER CARTON
TINS		
250ml	24	96
500ml	24	48
1000ml	12	24
5000ml	6	6

PRIMERS & ABS SOLVENT CEMENTS

PURPLE PRIMER

- ▶ For all size pipe CPVC /UPVC/PVC
- ▶ Life 2 year From Mfg.date
- ▶ Also use for non water fluids



SIZE	INNER CARTON	OUTER CARTON
TINS		
237ml	24	96
473ml	24	48
946ml	12	24

CLEAR PRIMER

- ▶ For all size pipe CPVC /UPVC/PVC
- ▶ Life 2 year From Mfg.date



SIZE	INNER CARTON	OUTER CARTON
TINS		
237ml	24	96
473ml	24	48
946ml	12	24

ABS MEDIUM SOLVENT CEMENTS

- ▶ For ABS pipe Upto 6" (150mm)
- ▶ Do not use primer
- ▶ Life 2 year From Mfg.date
- ▶ Colour : Milky White



SIZE	INNER CARTON	OUTER CARTON
TINS		
237ml	24	96
473ml	24	48
946ml	12	24

B

Ball Valves

.....

Teflon Tape

.....

Pipe Lubricant & Sealants



I am a plumber &
General
Contractor.

BALL VALVES



**CPVC SINGLE UNION
1/2" to 2"**



**CPVC SINGLE UNION LONG HANDLE
1/2" to 2"**



**UPVC COMPACT REGULAR HANDLE
1/2" to 3"**



**UPVC COMPACT LONG HANDLE
1/2" to 3"**



**UPVC SINGLE UNION REGULAR HANDLE
1/2" to 3"**



**UPVC SINGLE UNION LONG HANDLE
1/2" to 3"**

Largest range of BALL VALVES to fulfil every customer requirement.

TEFLON TAPE

Recommended for Potable Water ,pressure pipe Conduit & DWV. Recommended for various other uses like Electrical, Sanitary installation, Gas installation etc.

10 pieces in a stick

10X10 = 100 pcs in a reusable carry bag

10X10X10=1000 pcs in a master carton

GOLD

SIZE	INNER CARTON	OUTER CARTON
Gold 12mm X 10m	100	1000



PLATINUM

SIZE	INNER CARTON	OUTER CARTON
Platinum 12mm X 12m (Double Thickness)	100	1000



PIPE LUBRICANTS & SEALANTS

RUBBER LUBRICANT WHITE IN POUCH

- ▶ Easy to carry
- ▶ No spillage
- ▶ Only from Weldrite®



SIZE	INNER CARTON	OUTER CARTON
50g	100	400
100g	50	200
250g	25	100
500g	12	48
1000g	12	24

RUBBER LUBRICANT WHITE IN JAR



SIZE	INNER CARTON	OUTER CARTON
50g	60	240
100g	48	192
250g	24	96
500g	12	48
1000g	6	24

BLACK SEALANT



SIZE	INNER CARTON	OUTER CARTON
50g	60	240
100g	48	192
250g	24	96
500g	12	48
1000g	6	24

C

Silicone Sealants

.....

Acrylic Sealants

.....

Construction Adhesives



SILICONE SEALANTS

Weldrite® Silicone Sealants are comparable to leading brands like Dow & Pidilite
We have a range of Silicone Sealants for all your requirements.

WELDRITE® GENERAL PURPOSE SEALANT

Packaging

260ml (Cartridge)

Applications

One-part, general-purpose RTV sealant

- For most marine applications: sealing between hull and deck, most boat decks, windows, port lights, windshields and hatches

Composition

- One-part, acetoxy-cure, RTV silicone

Features & Benefits

- Cures to 100% silicone rubber
- Resistant to sunlight and weather extremes
- Fast cure, high strength

Colours

Black, White, Grey & Clear

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
260ml			20 Pcs	60 Pcs



WELDRITE[®] NEUTRAL SILICONE SEALANT

Packaging

280ml (Cartridge)

Applications

Multi-purpose one-part neutral cured silicone sealant
Residential decoration filling and sealing, frame and floor filling
Suitable for use in weather sealing metal and masonry applications.

Description

Weldrite[®] Neutral Plus Silicone Sealant is a multi-purpose one-part neutral cured silicone sealant, designed for residential window and door filling and sealing, and residential decoration filling.

Features & Benefits

Good adhesion to various construction substrates, such as glass, anodized aluminum, GMS steel, ceramic, and some surface treated materials

Colours

Black, White, Grey & Clear

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
280ml			20 Pcs	60 Pcs



Weldrite® Silicone Structural Sealant

Packaging

600ml (Sausage)

Applications

One-part, neutral-cure elastomeric sealant
Silicone structural glazing and protective glazing applications

Composition

High ultimate tensile strength sealant ideally suited for structural bonding and protective glazing applications

Features & Benefits

Excellent weatherability and high resistance to ultraviolet radiation, heat and humidity, ozone and temperature extremes

Colours

Black & White

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
600ml			NA	20 Pcs



WELDRITE® WEATHER PROOFING SEALANT

Packaging

300ml (Cartridge)
600ml (Sausage)

Applications

One Part neutral cure silicone sealant.
For Weather proofing application and having excellent adhesion on most of the common construction materials.

Description

Weldrite® Silicon weatherproofing sealant is one-part neutral cure, Construction grade sealant that easily extrudes in any weather. It quickly cures at room temperature by reaction with moisture in the air to product a durable, flexible silicone rubber seal.

Features & Benefits

Neutral cure - suitable for use on masonry substrates and will not react with or corrode most building components.
Bonds to most common construction materials without use to primer.

Colours

Black, White, Grey & Clear

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
300ml			20 Pcs	60 Pcs
600ml			NA	20 Pcs



WELDRITE[®] ACRYLIC GENERAL PURPOSE SEALANT

Packaging

350ml (Cartridge)

Applications

It is used to seal building joints and can be painted over.

Composition

An acrylic emulsion based, ready-to-used, one-component sealant.

Colours

Black, White

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
350ml			20 Pcs	60 Pcs



WELDRITE[®] NO NEED NAILS

General Purpose Construction Adhesive

Packaging

320gm (Cardboard Cartridge)

Applications

- Most bonding applications where high strength, gap filling, one component adhesive is required.
- Timber, metal, cementitious and plaster sheets to timber or metal studs.
- General-purpose construction adhesive.
- Ideal for mirror backed tiles.

Description

Weldrite[®] No Need Nails is a general-purpose adhesive suitable for interior or exterior general construction work. Being highly water resistant, styrene safe with high initial grab. It is a very versatile product.

SIZE	DP	MRP	INNER CARTON	OUTER CARTON
320ml			20 Pcs	60 Pcs



D

Instant Glue

.....

Primers & Coatings for Metal, Wood & Walls

.....

Rust Removers & Convertors

.....

Chain Lubricants & Mould Sprays



Use
Weldrite[®]
and Relax !

WELDRITE[®]

25

INSTANT GLUE - CYANOACRYLATE ADHESIVES

Two grades are available.

- ▶ 501FLEX Fast setting for flex & similar use
- ▶ 801GP General Purpose for general use.

Weldrite® 501FLEX



Weldrite® 501 Flex is a general-purpose low viscosity, cyanoacrylate adhesive which is suitable for the flex board industry for bonding flex to metal or other substrates.

USAGES

It is recommended for bonding flex to metal or wooden surface. It bonds instantly to most plastics, rubber, ceramic, metal like non porous substrates & porous substrates like wood, leather etc. It will not bond PTFE, nylon, polypropylene etc.

PACKAGING

20g , 50g

EQUIVALENT TO

Pidilite FlexQuick, Astral VegaQuick, Astral ResiQuick

Weldrite® 801GP



Weldrite® 801GP is a cyanoacrylate adhesive with low viscosity and fast setting. It is widely used for bonding variety of substrates and is ideally suited for bonding plastics and rubbers to themselves or various combinations.

USAGES

Suitable for bonding plastic, metal, rubber components.

- ▶ Can be used to lock components which are already assembled.
- ▶ Applications in molded furniture, sign Boards.

PACKAGING

0.5g , 20g

EQUIVALENT TO

Pidilite Fevikwik 203, Astral Vetra LV-401

PRIMERS & COATINGS FOR METAL, WOOD & WALLS

Paint Primers - Interior & Exterior

Interior & exterior paint primers . Can be used for any water based paint

PACKAGING

1, 5,20,220 liters

Epoxy Primer. PU & Epoxy coatings

Epoxy Primer is used with PU & Epoxy coatings
Various PU & Epoxy Coatings are available. Details on request

Woodcoat

Woodcoat - One part system. Two coats protect your wooden furniture from water for many years

Woodcoat Ultra - Primer & Topcoat combo . Your wooden furniture becomes waterproof & fungusproof . Your furniture will also get a deep gloss. Very easy to apply. Much better than melamine coatings.

PACKAGING

1, 5 liters

UltraCoat Exterior Coating Systems

The best exterior wall coating solution. Superior to conventional acrylic coatings. Ultracoat is a combination of specially formulated coatings and primers for a 15 year performance on exterior walls

Primer, basecoat & Topcoat combination,each with specific properties

PACKAGING

1,5,20 kg

RUST REMOVER & CONVERTORS

MP 80

Compare with WD-40
WD-40 is a registered trademark of WD-40 company, USA



SIZE	INNER CARTON	OUTER CARTON
SPRAY		
55ml	40	160
100ml	20	80
425ml	06	24
TIN		
1000ml	NA	12
5000ml	NA	4

RUSTGONE

RUST CONVERTER - RUSTGONE (Tech Details on Page 49)

Liquid for cleaning re-bars & steel surfaces

RUSTGONE is a chloride free liquid rust converter. It is used effectively to clean rust from steel surfaces before applying any protective coating on it.

AREAS OF APPLICATION

- ▶ On rebars during repairs to reinforced concrete structures
- ▶ Maintenance of mild steel structures like tanks, water pipelines shuttering plates and other corroded steel surfaces.


FEATURES & BENEFITS

- ▶ Simple application by brush
- ▶ Effective rust removal, even from areas difficult to reach
- ▶ Contains no chloride - no chance of enhancing corrosion
- ▶ Cost effective coverage

FOR TECHNICAL DETAILS PLEASE REFER PAGE NO. 49

CHAIN LUBRICANTS & MOULD SPRAYS

MOULD RELEASE SPRAY

For Releasing injection moulded products after moulding		SIZE	INNER CARTON	OUTER CARTON
		310ml	15	30

MOULD PROTECTION SPRAY

For Protection of injection Mould from humidity and rust during storage		SIZE	INNER CARTON	OUTER CARTON
		70g	20	80
		285g	12	48

CHAIN LUBRICANT & CLEANER

For motorcycle & other chains		SIZE	INNER CARTON	OUTER CARTON
		100ml	20	80
		400ml	12	48

ELECTRIC CONTACT CLEANER

		SIZE	INNER CARTON	OUTER CARTON
		75g	20	80
		310g	12	48